

Hello.

Thank you for your interest in our line of functional art. Our mission at Bear Creek Glass is to increase the quality of living of everyone that comes in contact with our products. We do this by creating the finest hand blown functional art glass in the world along with the highest level of customer service.

Bear Creek Glass is the largest and most trusted creator of functional art glass in North America. Every sink and chandelier is made to order and hand blown in Orange Beach, Alabama. Because each item is made to order, custom sizes, shapes, and colors are easily available.

We have created this Bear Creek Glass binder to help make it easier for you to order and install our art. In addition please use our website www.bearcreekglass.com to find the most current product and pricing information and find us on Facebook.

We will be attentive to your needs. Please contact us direct at 205-324-9339. We look forward to working with you.

Best regards,

JospBlompson

Joe Thompson Founder and Glass Artist

info@bearcreekglass.com Phone 205-324-9339 Fax 877-576-2303 www.bearcreekglass.com

> 25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



About Us



Since being founded in 2003 by Joe and Debbie Thompson, Bear Creek Glass has produced handmade functional art glass for both the commercial and residential markets. In only five years it became the largest producer of handmade glass sinks in the United States.

Each Bear Creek piece begins as hand gathered 2100 degree molten glass. As Joe and his team choreograph each step, the hot glass is coaxed into its final expressive form. All products are handmade to order in Orange Beach, Alabama. Together we work to create a marriage of art and technology that continues to reduce the environmental impact of both our company and its patrons alike.

Nothing shows our dedication to environmental responsibility more than our transition to Solid State Lighting. This new technology converts electricity directly into light making it more efficient than incandescent or compact fluorescents. LED lighting does not contain mercury present in compact fluorescents and uses eighty percent less energy than incandescent lighting. Their small size and long life, reduce the required resources and replacement costs of other lighting options. We are so confident in the efficiency of our Solid State Lighting that we are offering a lifetime warranty on every bulb!



Table of Contents

2 About Us4 www.bearcreek.com

LIGHTING

- 5 Lighting
 - 6 Leaf Tornado Chandelier
- 7 Medium Atlantis Chandelier
- 8 Large Atlantis Chandelier
- 9 Lotus Multicolor Chandelier
- 10 Lotus White Chandelier
- 11 Pendants
- 13 Lighting Price List

SINKS

- 15 Sinks
- 17 Classic
- 18 Classic Specifications and Installations
- 19 Splash
- 20 Splash Specifications and Installations
- 21 Ocean
- 22 Ocean Specifications and Installations
- 23 Fusion
- 24 Fusion Specifications and Installations
- 25 Water Bowl
- 26 Water Bowl Specifications and Installations
- 27 Over Mount
- 28 Over Mount Specifications and Installations
- 29 Soap Dish
- 30 Soap Dish Specifications
- 31 Quick Flow Drain
- 32 Quick Flow Specifications
- **33** Plumbing Price List
- 35 Sink Ordering Guide
- 51 Questions and Answers
- 55 Support and Warranty

INSTALLATION GUIDES

- 57 Sink Installation
- 58 Drain Installation
- 59 Pendant Installation
- 61 Atlantis Installation
- 65 Lotus Installation

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com 3



www.bearcreekglass.com

In an effort to supply you with the most current information and reduce our impact on the environment, please refer to our website to view details on the following topics. In addition, find us on Facebook.

You can find things on our web site not found anywhere else, including:

- **Electronic Brochure** Great for sending in emails to clients or email marketing.
- **Current Inventory** Even though we make almost all products to order, we sometimes make several extra pieces in order to fill special side by side request or colors. Find our entire inventory of sinks online.
- Digital Versions of our installation guides, ordering guides, etc.

In addition you can find:

- Up to Date Information on all our products
- Warranty and Service Information
- Frequently Asked Questions
- Installation Information



Lighting

Take your interior to the next level with hand-blown lighting from the artists at Bear Creek Glass.

Each piece is hand-blown in the USA by Joseph Thompson and his team. Joseph's chandeliers have received international acclaim and have been installed around the world.

We have built our company on creating innovative custom functional art. Let us create a piece of art that you can enjoy for a lifetime.





Leaf Tornado Chandelier



The Leaf Tornado Chandelier was inspired by childhood memories of windy fall days in Alabama. We lived in a neighborhood surrounded by huge hundred year old oak trees and in October the skies would rain down oak leaves. A gust of wind would pick up the leaves and swirl them into a mini tornado which we would run after and try to run though!

The chandelier consists of hundreds of individually blown and shaped glass

leaves. As with almost all of our functional art, custom sizes and colors are available.

Artist:	Joseph Thompson
Size:	30"W x 43"H (custom available)
Color:	Frosted (custom available)
Illumination:	Incandescent or LED (LED have lifetime guarantee and
	are not dimmable).
Specify:	Specify distance from ceiling to top of chandelier when
	ordering.



Medium Atlantis Chandelier



The Medium Atlantis Chandelier consists of dozens of hand-blown pieces. This fun and versatile chandelier can span the gamut from elegant and sophisticated by using clear frosted smaller pieces to eclectic by using bold colors and larger pieces. Our most

7

popular colors are leopard and ruby.

Artist:	Joseph Thompson
Size:	36"W x 25"H (custom available)
Color:	Frosted, leopard, ruby,
	(Custom available)
Illumination:	Incandescent or LED (LED have lifetime guarantee and
	are not dimmable).
Specify:	Specify distance from ceiling to top of chandelier when
	ordering.

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Large Atlantis Chandelier



The Large Atlantis Chandelier consists of hundreds of hand-blown pieces making each chandelier a bold and eclectic statement. Make it your own personal work of art by specifying a custom size, shape, or color.

8

Artist:	Joseph Thompson
Size:	36"W x 50"H (custom available)
Color:	Frosted, leopard, ruby, (custom available)
Illumination:	Incandescent or LED (LED have lifetime guarantee and are not dimmable).
Specify:	Specify distance from ceiling to top of chandelier when
	ordering.

3/11/11



Lotus Multicolor Chandelier



Capable of over 6 million colors, the Lotus Chandelier represents a new era in living and lighting. Made from hand blown glass, hand hammered copper, and energy saving LED lights, which use 80% less

9

energy than traditional lights and lasts 50 times longer, this is truly "green" lighting.

The Lotus Chandelier comes with a programmable controller capable of producing over 6 million color variations that can be dimmed and transitioned automatically.

Artist:	Joseph Thompson
Size:	36"W x 30"H (custom available)
Color:	Frosted
Illumination:	Multicolor LED
Specify:	Specify distance from ceiling to top of chandelier when
	ordering.



Lotus White Chandelier



The Lotus White Chandelier represents a new era in living and lighting. Made from hand blown glass, hand hammered copper, and energy saving LED lights, which

10

use 80% less energy than traditional lights and lasts 50 times longer, this is truly "green" lighting.

Artist:Joseph ThompsonSize:36"W x 30"H (custom available)Color:FrostedIllumination:Neutral LEDSpecify:Specify distance from ceiling to top of chandelier when ordering.



Pendants



Artist:

Shape:

Illumination:

Hardware:

Specify:

Desert New Bella Shown

Bear Creek Glass Pendants allow customers to create their own unique look. Choose among various globe shapes and colors or create your own custom shapes and colors.

> Joseph Thompson New Bella 5"W x 8"H or Round 8"W x 8"H Neutral LED Brushed Nickel Specify distance from ceiling to top of chandelier when ordering.

> > 11

Colors:

Amber, Frosted, Cobalt, Desert, Emerald Isle, Ice Blue, Ivory, Light Tortoise, Mardi Gras, Ruby, Aqua Stringer, Claret Petals, Chartreuse, Crackled Cobalt, Dark Amber Stringer, Green Petals, Honey Drop Stringer, Hydrangea Petals, Iris Gold Stringer, Jade Stringer, Licorice Petals, Light Amber Stringer, Molten Honey, Purple Rain, Sandstone Petals, Signature, Silver Blue Iridescent, Silver Cobalt Twist, Silver Green Iridescent, Zinfandel Stringer, Blue Green Twist, Caribbean Twist, Mediterranean Twist, Midas, Tortoise, Shell Rhapsody, Twisted Bronze Oz, Twisted Smoke, Twisted Tiger, Twisted Watermelon



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com 12



Lighting Price List

March 1, 2010

Please visit www.bearcreekglass.com for pictures of current products. All lighting is custom made by Bear Creek Glass artists. Custom colors and sizes are available.

Please allow 6-8 weeks for delivery.

Style Col	lor / Dimensio	on		Price
Atlantis	Amber, Leopard Skin, Cobalt, Ice Blue, Ruby, Clear, Frosted			
	Large Small		(shipping \$485) (shipping \$350)	\$8,390 \$4,200
Lotus	White Multi-Color		(shipping - call for quote) (shipping - call for quote)	\$12,500 \$22,500
Leaf	Frosted	30"w x 43"h	(shipping - call for quote)	\$8,390
Single Pendant	New Bella Round	4"w x 8"h 8"w x 8"h	(shipping \$35) (shipping \$35)	\$486 \$486

Amber, Frosted, Cobalt, Desert, Emerald Isle, Ice Blue, Ivory, Light Tortoise, Mardi Gras, Ruby, Aqua Stringer, Claret Petals, Chartreuse, Crackled Cobalt, Dark Amber Stringer, Green Petals, Honey Drop Stringer, Hydrangea Petals, Iris Gold Stringer, Jade Stringer, Licorice Petals, Light Amber Stringer, Molten Honey, Purple Rain, Sandstone Petals, Signature, Silver Blue Iridescent, Silver Cobalt Twist, Silver Green Iridescent, Zinfandel Stringer, Blue Green Twist, Caribbean Twist, Mediterranean Twist, Midas, Tortoise, Shell Rhapsody, Twisted Bronze Oz, Twisted Smoke, Twisted Tiger, Twisted Watermelon



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com 14



Sinks

Bear Creek Glass is the most respected and largest creator of handmade sinks in North America. All sinks are hand blown in Orange Beach, Alabama. Each sink begins as 2100 degree molten glass and is slowly coaxed by Joseph Thompson and his team of artists into a unique piece of art that can be enjoyed a lifetime. All sinks are signed and numbered.

Sinks come in 6 basic shapes.



Classic

Fusion



Splash



Over Mount





Water Bowl

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com 16



Classic

3/11/11



Dark Tortoise Classic Shown

Tasteful, stylish and elegant are just a few of the words that describe our hand blown classic sinks.

Classic sinks are available in a wide range of colors. Custom sizes and colors are also available. These sinks can be vessel, self-rimmed, or under mounted.





Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Customization:

Custom sizes up to 17" x 8" are available at no extra charge. Custom colors are available for an additional charge. After the custom color is selected we will make a Matching soap dish that is sent to the customer for color approval before the sink is created.

Colors:

Amber, Aqua Stringer, Autumn Bronze, Black, Black & Gold, Black & Silver, Blue Green Twist, Blue Luster, Cancun Peacock, Caribbean Twist, Claret Petals, Clear, Chartreuse, Cobalt, Copper River, Cosmos, Crackled Cobalt, Dark Amber Stringer, Dark Tortoise, Desert, Emerald Isle, Frosted, Green Petals, Honey Drop Stringer, Hydrangea Petals, Ice Blue, Iris Gold Mercury, Iris Gold Stringer, Ivory, Jade Stringer, Kaleidoscope, Licorice Petals, Light Amber Stringer, Light Tortoise, Mardi Gras, Mediterranean Twist, Midas, Molten Honey, Opal Red Lacquer, Purple Rain, Ruby, Sandstone Petals, Signature, Silver Blue Iridescent, Silver Blue Mercury, Silver Cobalt Twist, Silver Green Iridescent, Silver Sun, Tortoise Shell Rhapsody, Twisted Bronze Oz, Twisted Smoke, Twisted Tiger, Twisted Watermelon, Zinfandel Stringer

Dimensions:

Standard Width x Height 16" x 6", +- 0.5". Custom sizes up to 17" x 8" are available at no additional cost. Thickness: 1" +- 0.25" Drain hole: 1.25" Drain countersink: 2.32"

Installation Notes:

<u>Vessel Mount</u>: Make countertop hole 2 ¹/₄ ".

Under Mount: See "Sink Installation" sheet for under mounting instructions.

Self Rim: Classic sinks can be self rimmed using the "lip wrap" around the top of the sink. This

method can create a very unique look with about $1" + \frac{1}{2}"$ of the sink above the countertop. You must specify "Self Rim" when ordering a classic if you desire this method of mounting. Verify countertop hole shape and size on a piece of plywood or heavy cardboard first.

Drain:

For best results, use Bear Creek Glass Quick Flow drains. HAND TIGHTEN DRAIN ASSEMBLIES, DO NOT OVER TIGHTEN. If using Quick Flow drains, see drain installation sheet.

Care and Cleaning:

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees. Use non-abrasive cleaner suitable for glass.

Ordering Information:

Specify the following when ordering. View "Ordering Guide" for specific information or our website www.bearcreekglass.com for up to date information and colors.

Shape: Classic

Size: Standard 16" x 6" +/-1/2". Smaller and larger sizes up to 17" x 8" are

available at no extra charge. Specify width and height when ordering.

<u>Color</u>: See above and Ordering Guide or www.bearcreekglass.com . Custom colors are available.

<u>Rim Color</u>: See Ordering Guide or www.bearcreekglass.com . Custom colors are available.

Mounting: Vessel, Under, Self Rim

Side by Side: If ordering more than one sink of the same style please specify if they will be side by side.

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Splash



Desert Splash Shown

19

Our hand blown Splash bowls imitate the fluid qualities of the water they were designed to hold.

Splash sinks are available in a wide range of colors. Custom sizes and colors are also available.





Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Customization:

Custom sizes up to 18" x 8" are available at no extra charge. Custom colors are available for an additional charge. After the custom color is selected we will make a Matching soap dish that is sent to the customer for color approval before the sink is created.

Colors:

Amber, Aqua Stringer, Autumn Bronze, Black, Black & Gold, Black & Silver, Blue Green Twist, Blue Luster, Cancun Peacock, Caribbean Twist, Claret Petals, Clear, Chartreuse, Cobalt, Copper River, Cosmos, Crackled Cobalt, Dark Amber Stringer, Dark Tortoise, Desert, Emerald Isle, Frosted, Green Petals, Honey Drop Stringer, Hydrangea Petals, Ice Blue, Inferno, Inferno Yellow, Iris Gold Mercury, Iris Gold Stringer, Ivory, Jade Stringer, Kaleidoscope, Licorice Petals, Light Amber Stringer, Light Tortoise, Mardi Gras, Mediterranean Twist, Midas, Molten Honey, Opal Red Lacquer, Purple Rain, Ruby, Sandstone Petals, Signature, Silver Blue Iridescent, Silver Blue Mercury, Silver Cobalt Twist, Silver Green Iridescent, Silver Sun, Tortoise Shell Rhapsody, Twisted Bronze Oz, Twisted Smoke, Twisted Tiger, Twisted Watermelon, Zinfandel Stringer

Dimensions:

Standard Width x Height 18" x 6", +- 1"

Custom sizes up to 18" x 8" are available at no additional cost. Thickness: 1" +- 0.25" Drain hole: 1.25" Drain countersink: 2.32"

Installation Notes:

Vessel Mount: Make countertop hole 2 1/4 ".

Drain:

For best results, use Bear Creek Glass Quick Flow drains. <u>HAND TIGHTEN DRAIN ASSEMBLIES</u>, DO NOT OVER TIGHTEN. If using Quick Flow drains, see drain installation sheet.

Care and Cleaning:

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees. Use non-abrasive cleaner suitable for glass.

Ordering Information:

Specify the following when ordering. View "Ordering Guide" for specific information or our website www.bearcreekglass.com for up to date information and colors.

Shape: Splash

Size: Standard 18" x 6" +/-1". Smaller and larger sizes up to 18" x 8" are

available at no extra charge. Specify width and height when ordering.

<u>Color</u>: See above and Ordering Guide or www.bearcreekglass.com . Custom colors are available.

<u>Rim Color</u>: See Ordering Guide or www.bearcreekglass.com . Custom colors are available. <u>Mounting</u>: Vessel

Side by Side: If ordering more than one sink of the same style please specify if they will be side by side.







Utopia Ocean Shown

The free form, organic design of each handcrafted Ocean bowl makes it a spectacular focal point for any bath.





Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Colors:

Clear, Frosted, Utopia, and Limited Edition Colors: Amber, Black, Cobalt, Ice Blue, Odyssey

Dimensions:

Standard Width x Height 17" x 5", +- 1" Thickness: 1" +- 0.25" Drain hole: 1.25" Drain countersink: 2.32"

Installation Notes:

Vessel Mount: Make countertop hole 2 1/4 ".

Drain:

For best results, use Bear Creek Glass Quick Flow drains. HAND TIGHTEN DRAIN ASSEMBLIES, DO NOT OVER TIGHTEN. If using Quick Flow drains, see drain installation sheet.

Care and Cleaning:

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees. Use non-abrasive cleaner suitable for glass.

Ordering Information:

Specify the following when ordering. View "Ordering Guide" for specific information or our website www.bearcreekglass.com for up to date information and colors.

Shape: Ocean

<u>Color</u>: See above and Ordering Guide or www.bearcreekglass.com . <u>Side by Side</u>: If ordering more than one sink of the same style please specify if they will be side by side.







Clear Fusion Shown

23

The clean, crisp lines of our handmade Fusion bowls make them perfect for use in both contemporary and traditional environments.

Fusion sinks are available in a wide range of colors. These sinks can be vessel, self-rimmed, or under mounted.





Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Colors:

Clear, Frosted and Limited Edition Colors: Amber, Cobalt, Ice Blue, Odyssey

Dimensions:

Width x Height 18" x 4.5", +- 0.25" Thickness: 1.25" +- 0.25" Drain hole: 1.25" Drain countersink: 2.32"

Installation Notes:

Vessel Mount: Make countertop hole 2 1/4 ".

Under Mount: See "Sink Installation" sheet for under mounting instructions.

<u>Self Rim</u>: Fusion sinks can be self rimmed by partially submerging the sink in the countertop. This method can create a very unique look with about 1" of the sink above the countertop. Verify countertop hole shape and size on a piece of plywood or heavy cardboard first.

Drain:

For best results, use Bear Creek Glass Quick Flow drains. HAND TIGHTEN DRAIN ASSEMBLIES, DO NOT OVER TIGHTEN. If using Quick Flow drains, see drain installation sheet.

Care and Cleaning:

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees. Use non-abrasive cleaner suitable for glass.

Ordering Information:

Specify the following when ordering. View "Ordering Guide" for specific information or our website www.bearcreekglass.com for up to date information and colors.

Shape: Fusion

<u>Size</u>: 18" x 4.5", +- 0.25" <u>Color</u>: See above and Ordering Guide or www.bearcreekglass.com . <u>Side by Side</u>: If ordering more than one sink of the same style please specify if they will be side by side.



Water Bowl



Aqua Water Bowl Shown

Simple, clean, and refreshing.

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Water Bowl

Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Customization:

Custom sizes up to 18" x 8" are available at no extra charge. Custom colors are available for an additional charge. After the custom color is selected we will make a 6" x 2.5" accessory bowl that is sent to the customer for approval before the sink is created.

Colors:

Amber, Gold, Aqua, Copper Blue, Strawberry

Dimensions:

Standard Width x Height 16" x 6", +- 1"

Dimensions:

Standard Width x Height 16" x 6", +- 1"

Custom sizes up to 18" x 8" are available at no additional cost. Thickness: 1.5" +- 1" Drain hole: 1.25" Drain countersink: 2.32"

Installation Notes:

<u>Vessel Mount</u>: Make countertop hole 2 ¹/₄ ".

Drain:

For best results, use Bear Creek Glass Quick Flow drains. HAND TIGHTEN DRAIN ASSEMBLIES, DO NOT OVER TIGHTEN. If using Quick Flow drains, see drain installation sheet.

Care and Cleaning:

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees. Use non-abrasive cleaner suitable for glass.

Ordering Information:

Specify the following when ordering. View "Ordering Guide" for specific information or our website www.bearcreekglass.com for up to date information and colors.

Shape: Water Bowl

<u>Size</u>: Standard 16" x 6" +/-1". Smaller and larger sizes up to 18" x 8" are available at no extra charge. Specify width and height when ordering.
 <u>Color</u>: See above and Ordering Guide or www.bearcreekglass.com
 <u>Side by Side</u>: If ordering more than one sink of the same style please specify if they will be side by side.



Over Mount



Blue Green Twist Overmount Shown

27

Over mount sinks are self-rimming and are available in a wide variety of colors.





Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Customization:

Custom sizes up to 18" x 8" are available at no extra charge. Custom colors are available for an additional charge. After the custom color is selected we will make a Matching soap dish that is sent to the customer for color approval before the sink is created.

Colors:

Amber, Aqua Stringer, Autumn Bronze, Black, Black & Gold, Black & Silver, Blue Green Twist, Blue Luster, Cancun Peacock, Caribbean Twist, Claret Petals, Clear, Chartreuse, Cobalt, Copper River, Cosmos, Crackled Cobalt, Dark Amber Stringer, Dark Tortoise, Desert, Emerald Isle, Frosted, Green Petals, Honey Drop Stringer, Hydrangea Petals, Ice Blue, Inferno, Inferno Yellow, Iris Gold Mercury, Iris Gold Stringer, Ivory, Jade Stringer, Kaleidoscope, Licorice Petals, Light Amber Stringer, Light Tortoise, Mardi Gras, Mediterranean Twist, Midas, Molten Honey, Opal Red Lacquer, Purple Rain, Ruby, Sandstone Petals, Signature, Silver Blue Iridescent, Silver Blue Mercury, Silver Cobalt Twist, Silver Green Iridescent, Silver Sun, Tortoise Shell Rhapsody, Twisted Bronze Oz, Twisted Smoke, Twisted Tiger, Twisted Watermelon, Zinfandel Stringer

Dimensions:

Standard Width x Height 17" x 5.5", +- $\frac{1}{2}$ ". Custom sizes up to 18" x 8" are available at no additional cost. Thickness: 1" +- $\frac{1}{2}$ " Drain hole: 1.25" Drain countersink: 2.32"

Installation Notes:

Over Mount: Verify countertop hole shape and size on a piece of plywood or heavy cardboard first.

Drain:

For best results, use Bear Creek Glass Quick Flow drains. HAND TIGHTEN DRAIN ASSEMBLIES, DO NOT OVER TIGHTEN. If using Quick Flow drains, see drain installation sheet.

Care and Cleaning:

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees. Use non-abrasive cleaner suitable for glass.

Ordering Information:

Specify the following when ordering. View "Ordering Guide" for specific information or our website www.bearcreekglass.com for up to date information and colors.

Shape: Over Mount

<u>Size</u>: Standard 17" x 5.5" +/- $\frac{1}{2}$ ". Smaller and larger sizes up to 18" x 8" are

available at no extra charge. Specify width and height when ordering.

Color: See above and Ordering Guide or www.bearcreekglass.com . Custom colors are available.

Rim Color: See Ordering Guide or www.bearcreekglass.com . Custom colors are available.

Side by Side: If ordering more than one sink of the same style please specify if they will be side by side.



Scap Dish

Matching Style, Claret Petals Color Shown

29



Ribbon Style, Clear Color Shown

Compliment your sink with a "Matching" style hand blown soap dish or our free form "Ribbon" style. Great for soap, candles, and jewelry.



Scap Dish

Specifications and Installation

Variations:

Every piece made by Bear Creek artisans is an individual work of art. Variations in shape and color patterns are what make Bear Creek products distinct and unique.

Dimensions:

Matching Style: 7"L x 6"W x 2"H +- $\frac{1}{2}$ " Ribbon Style: 6" W x 3"H +- $\frac{1}{2}$ "

Colors:

Matching Style: Available in all "Classic" and "Splash" sink colors. See "Ordering Guide" for available colors. Ribbon Style: Clear or Frosted

Ordering Information:

Specify the following when ordering:

Shape: "Matching" or "Ribbon" <u>Color</u>: (see "Colors" above)

For "Matching" style also specify:

Rim Color: (see "Colors" above)



Quick Flow Drain



Our Quick Flow drains are designed especially to work with Bear Creek Glass sinks and come in a variety of finishes.



Quick Flow Drain

Specifications

Description

A fully plated teardrop pattern lavatory drain for sinks and vessels without overflow. Tailpiece measures 8" long with a 4" Drain Body and a 1-1/2" Drain Opening. Available in 17 plated finishes.

Features

Teardrop pattern lavatory drain	
Fully Plated	
Tailpiece Length	8"
Drain Body (Threaded)	4"
Drain Opening	1.5"
Finished Tailpiece (diameter)	1.25"
Finished Tailpiece (length)	7.62"
Drain Head (diameter)	2.18"
Nut (diameter)	2.04"

Available Drain Finishes:

Satin Chrome Polished Nickel Polished Brass Brushed Nickel Pewter Polished Chrome Weathered Copper Antique Copper English Bronze Mahogany Bronze Matte Black PVD Brushed Bronze Tuscan Brass French Gold Oil Rubbed Bronze Polished Gold Venetian Bronze





Plumbing Price List

March 1, 2010

Please visit www.bearcreekglass.com for pictures of current inventory and limited edition sinks. All sinks are custom made by Bear Creek Glass artists in the United States. Custom colors and sizes are available.

Soap Dishes Matching Style \$150 (available in most sink colors), Ribbon Style \$38 (available in clear or frosted colors)

QuickFlow® Drains \$150 (Satin Chrome, Polished Nickel, Polished Brass, Brushed Nickel, Pewter, Polished Chrome, Weathered Copper, Antique Copper, English Bronze, Mahogany Bronze, Matte Black, PVD Brushed Bronze, Tuscan Brass, French Gold, Oil Rubbed Bronze, Polished Gold, Venetian Bronze)

Sink shipping and handling \$50 (please allow 4-6 weeks for non-inventory items)

Style	Color	Price
Classic 16" x 6" (⁺ /- ¹ / ₂ ")	Amber, Black, Black & Gold, Black & Silver, Blue Luster, Clear, Cobalt, Dark Tortoise, Desert, Emerald Isle, Frosted, Ice Blue, Ivory, Light Tortoise, Mardi Gras, Ruby	\$1895
	Aqua Stringer, Claret Petals, Chartreuse, Crackled Cobalt, Dark Amber Stringer, Green Petals, Honey Drop Stringer, Hydrangea Petals, Iris Gold Stringer, Jade Stringer, Licorice Petals, Light Amber Stringer, Molten Honey, Purple Rain, Sandstone Petals, Signature, Silver Blue Iridescent, Silver Cobalt Twist, Silver Green Iridescent, Zinfandel Stringer	\$2095
	Autumn Bronze, Blue Green Twist, Caribbean Twist, Copper River, Cosmos, Iris Gold Mercury, Kaleidoscope, Mediterranean Twist, Midas, Opal Red Lacquer, Silver Blue Mercury, Silver Sun, Tortoise Shell Rhapsody, Twisted Bronze Oz, Twisted Smoke, Twisted Tiger, Twisted Watermelon	\$2600
	Cancun Peacock *	\$3500
Splash 18" x 6" (⁺ /-1")	Inferno and Inferno Yellow Also available in all "Classic" colors and prices listed above	\$1895
Ocean 17" x 5" (⁺ /-1")	Clear, Frosted, Utopia, Limited Edition Colors: Amber, Black, Cobalt, Ice Blue, Odyssey	\$1895
Fusion 18"x 4.5" (⁺ /- ¹ / ₄ "	Clear, Frosted) Limited Edition Colors: Amber, Cobalt, Ice Blue, Odyssey	\$1895
Water Bowl 16"x6" (⁺ /-1")	Amber, Gold, Aqua, Copper Blue, Strawberry	\$2095
Over Mount	Over mount is available in all the "Classic" colors and prices listed above.	

17" x 5.5" (⁺/- ¹/₂")



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com 34



Sink Ordering Guide

Ordering:

Specify Color and Style when ordering. No dimensions on an order imply the standard width and height. If a custom size is desired specify the width and height in inches. If two of the same style sinks are ordered at the same time indicate if they will be used side by side. Custom colors should be discussed with Bear Creek customer service before ordering.

Example: "Amber Water Bowl" specifies an amber water bowl with standard dimensions. Example: "Qty 2 Amber Water Bowl 15inx4in side by side" specifies 2 Amber Water Bowls 15" wide by 4" high that will be used side by side.

Тор	Side	Color	Style	Dimensions
		Amber	Classic	16" x 6" +/- ½"
		Amber	Fusion	16" x 4" Limited Edition
		Amber	Ocean	17" x 5" +/- 2" Limited Edition
		Amber Amber	Over Mount Splash	17" x 5.5" +/- ½" 18" x 6" +/-1"
		Amber	Water Bowl	16" x 6" +/- 1"

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



		-		
		Aqua	Water Bowl	16" x 6" +/- 1"
		Aqua Stringer w/ Black Rim	Classic	16" x 6" +/- ½"
		Aqua Stringer	Over Mount	17" x 5.5" +/- ½"
		Aqua Stringer	Splash	18" x 6" +/-1"
		Autumn Bronze	Classic	16" x 6" +/- ½"
		Autumn Bronze	Over Mount	17" x 5.5" +/- ½"
		Autumn Bronze	Splash	18" x 6" +/-1"
		Black	Ocean	17" x 5" +/- 2" Limited Edition
		Black	Classic	16" x 6" +/- ½"
Theory of the start of the star		Black	Over Mount	17" x 5.5" +/- ½"
- L D		Black	Splash	18" x 6" +/-1"
	1	Black and Gold	Classic	16" x 6" +/- ½"
		Black and Gold	Over Mount	17" x 5.5" +/- ½"
		Black and Gold	Splash	18" x 6" +/-1"

3/11/11

25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com


	veur creek gruss			
	Black and Silver	Classic	16" x 6" +/- ½"	
	Black and Silver	Over Mount	17" x 5.5" +/- ½"	
	Black and Silver	Splash	18" x 6" +/-1"	
1	Blue Green Twist w/ Blue Rim	Classic		
	Blue Green Twist w/ Blue Rim	Over Mount	17" x 5.5" +/- ½"	
	Blue Green Twist	Splash	18" x 6" +/-1"	
	Blue Luster	Classic	16" x 6" +/- ½"	
	Blue Luster	Over Mount	17" x 5.5" +/- ½"	
	Blue Luster	Splash	18" x 6" +/-1"	

bear creek glass			
Cancun Peacock w/ Blue Rim	Classic	16" x 6" +/- ½"	
Cancun Peacock	Over Mount	17" x 5.5" +/- ½"	
Cancun Peacock	Splash	18" x 6" +/-1"	
Caribbean Twist W/ Aqua Rim	Classic	16" x 6" +/- ½"	
Caribbean Twist	Over Mount	17" x 5.5" +/- ½"	
Caribbean Twist	Splash	18" x 6" +/-1"	
Chartreuse W/ Lapis Blue Rim	Classic		
Chartreuse	Over Mount	17" x 5.5" +/- ½"	
Chartreuse	Splash	18" x 6" +/-1"	
Claret Petals W/ Black Rim	Classic	16" x 6" +/- ½"	
Claret Petals	Over Mount	17" x 5.5" +/- ½"	
Claret Petals	Splash	18" x 6" +/-1"	
Clear	Classic	16" x 6" +/- ½"	
Clear	Over Mount	17" x 5.5" +/- ½"	
Clear	Splash	18" x 6" +/-1"	



	bear creek gla			
		Clear	Ocean	17" x 5" +/- 2"
0		Clear	Fusion	18" x 4.5"
		Cobalt	Classic	16" x 6" +/- ½"
		Cobalt	Over Mount	17" x 5.5" +/- ½"
Mana Merez		Cobalt	Splash	18" x 6" +/-1"
		Cobalt	Fusion	18" x 4.5" Limited Edition
		Cobalt	Ocean	17" x 5" +/- 2" Limited Edition
		Copper Blue	Water Bowl	16" x 6" +/- 1"
		Copper River w/ Amber Rim	Classic	16" x 6" +/- ½"
		Copper River	Over Mount	17" x 5.5" +/- ½"
		Copper River	Splash	18" x 6" +/-1"



	Deux cree	
Cosmos w/ Sliver Blue Rim	Classic	16" x 6" +/- ½"
Cosmos	Over Mount	17" x 5.5" +/- ½"
Cosmos	Splash	18" x 6" +/-1"
Crackled Cobalt	Classic	16" x 6" +/- ½"
Crackled Cobalt w/ Clear Rim	Over Mount	17" x 5.5" +/- ½"
Crackled Cobalt	Splash	18" x 6" +/-1"
Dark Amber Stringer w/ Amber Rim	Classic	16" x 6" +/- ½"
Dark Amber Stringer	Over Mount	17" x 5.5" +/- ½"
Dark Amber Stringer	Splash	18" x 6" +/-1"
Dark Tortoise w/ Black Rim	Classic	16" x 6" +/- ½"
Dark Tortoise	Over Mount	17" x 5.5" +/- ½"
Dark Tortoise w/ Black Rim	Splash	18" x 6" +/-1"



		eur creer	
	Desert Sunset	Classic	16" x 6" +/- ½"
and the second	Desert Sunset	Over Mount	17" x 5.5" +/- ½"
	Desert Sunset	Splash	18" x 6" +/-1"
	Emerald Isle	Classic	16" x 6" +/- ½"
	Emerald Isle	Over Mount	17" x 5.5" +/- ½"
	Emerald Isle	Splash	18" x 6" +/-1"
	 Frosted	Classic	16" x 6" +/- ½"
	Frosted	Over Mount	17" x 5.5" +/- ½"
	Frosted	Splash	18" x 6" +/-1"
	Gold	Water Bowl	16" x 6" +/- 1"
	Green Gold	Splash	18" x 6" +/-1" Limited Edition



			n 41035
	Green Petals w/ Green Rim	Classic	16" x 6" +/- ½"
	Green Petals	Over Mount	17" x 5.5" +/- ½"
	Green Petals	Splash	18" x 6" +/-1"
	Honey Drop Stringer w/ Black Rim PICTURE	Classic	16" x 6" +/- ½"
~	Honey Drop Stringer	Over Mount	17" x 5.5" +/- ½"
	Honey Drop Stringer	Splash	18" x 6" +/-1"
	Hydrangea Petals w/ Blue Rim	Classic	16" x 6" +/- ½"
	Hydrangea Petals	Over Mount	17" x 5.5" +/- ½"
	Hydrangea Petals	Splash	18" x 6" +/-1"
	Ice Blue	Classic	16" x 6" +/- ½"
	Ice Blue	Fusion	18" x 4.5" Limited Edition



	bear creek glass			
	Ice Blue	Ocean	17" x 5" +/- 2" Limited Edition	
	IceBlue	Over Mount	17" x 5.5" +/- ½"	
	IceBlue	Splash	18" x 6" +/-1"	
Reiga M	Inferno	Splash	18" x 6" +/-1"	
	Inferno Yellow	Splash	18" x 6" +/-1"	
	Iris Gold Mercury w/ Black Rim	Classic	16" x 6" +/- ½"	
	Iris Gold Mercury	Over Mount	17" x 5.5" +/- ½"	
	Iris Gold Mercury	Splash	18" x 6" +/-1"	
	Iris Gold Stringer w/ Amber Rim	Classic	16" x 6" +/- ½"	
	Iris Gold Stringer	Over Mount	17" x 5.5" +/- ½"	
	Iris Gold Stringer	Splash	18" x 6" +/-1"	



			Jeur creel	
		Ivory	Classic	16" x 6" +/- ½"
100		lvory	Over Mount	17" x 5.5" +/- ½"
		Ivory	Splash	18" x 6" +/-1"
		Jade Stringer w/ Black Rim	Classic	16" x 6" +/- ½"
		Jade Stringer	Over Mount	17" x 5.5" +/- ½"
7	~ ~ ~	Jade Stringer	Splash	18" x 6" +/-1"
	-	Kaleidoscope w/ Black Rim	Classic	16" x 6" +/- ½"
		Kaleidoscope	Over Mount	17" x 5.5" +/- ½"
		Kaleidoscope	Splash	18" x 6" +/-1"
		Licorice Petals w/ Black Rim	Classic	16" x 6" +/- ½"
	2	Licorice Petals	Over Mount	17" x 5.5" +/- ½"
		Licorice Petals	Splash	18" x 6" +/-1"
		1		



		A 91433
Light Amber Stringer w/ Purple Rim	Classic	16" x 6" +/- ½"
Light Amber Stringer	Over Mount	17" x 5.5" +/- ½"
Light Amber Stringer	Splash	18" x 6" +/-1"
Light Tortoise w/ Black Rim	Classic	16" x 6" +/- ½"
Light Tortoise	Over Mount	17" x 5.5" +/- ½"
Light Tortoise w/ Black Rim	Splash	18" x 6" +/-1"
		R.
Mardi Gras	Classic	16" x 6" +/- ½"
Mardi Gras	Over Mount	17" x 5.5" +/- ½"
Mardi Gras	Splash	18" x 6" +/-1"
Mediterranean Twist w/ Blue Rim	Classic	16" x 6" +/- ½"
Mediterranean Twist	Over Mount	17" x 5.5" +/- ½"
Mediterranean Twist	Splash	18" x 6" +/-1"



Midas w/ Clear & Gold Rim	Classic	16" x 6" +/- ½"
Midas	Over Mount	17" x 5.5" +/- ½"
Midas	Splash	18" x 6" +/-1"
Molten Honey w/ Purple Rim	Classic	16" x 6" +/- ½"
Molten Honey	Over Mount	17" x 5.5" +/- ½"
		18" x 6" +/-1"
Odyssey	Fusion	18" x 4.5" Limited Edition
1		
Odyssey	Ocean	17" x 5" +/- 2" Limited Edition
Opal-Red Lacquer w/ Black Rim	Classic	16" x 6" +/- ½"
Opal-Red Lacquer	Over Mount	17" x 5.5" +/- ½"
Opal-Red Lacquer	Splash	18" x 6" +/-1"
Plum	Classic	16" x 6" +/- ½"
		17" x 5.5" +/- ½"
	Midas Molten Honey w/ Purple Rim Molten Honey Molten Honey Odyssey Odyssey Odyssey Odyssey Opal-Red Lacquer w/ Black Rim Opal-Red Lacquer Opal-Red Lacquer	MidasSplashMolten Honey w/ Purple RimClassicMolten HoneyOver MountMolten HoneySplashOdysseyFusionOdysseyOceanOdysseyOceanOpal-Red Lacquer w/ Black RimClassicOpal-Red LacquerOver MountOpal-Red LacquerSplashPlumClassic



	-		
	Plum	Splash	18" x 6" +/-1"
	Purple Rain	Classic	16" x 6" +/- ½"
	w/ Purple Rim		
	Purple Rain	Over Mount	17" x 5.5" +/- ½"
Concerning and the	Purple Rain	Splash	18" x 6" +/-1"
	Ruby	Classic	16" x 6" +/- ½"
-	Ruby	Over Mount	17" x 5.5" +/- ½"
	Ruby	Splash	18" x 6" +/-1"
	Sandstone Petals	Classic	16" x 6" +/- ½"
	Sandstone Petals	Over Mount	17" x 5.5" +/- ½"
	Sandstone Petals	Splash	18" x 6" +/-1"
	Signature w/ Silver Blue Rim	Classic	16" x 6" +/- ½"
	Signature	Over Mount	17" x 5.5" +/- ½"
	Signature	Splash	18" x 6" +/-1"



veur creek gruss		
Silver Blue Iridescent w/ Clear Rim	Classic	16" x 6" +/- ½"
Silver Blue Iridescent	Over Mount	17" x 5.5" +/- ½"
Silver Blue Iridescent	Splash	18" x 6" +/-1"
Silver Blue Mercury w/ Blue Rim	Classic	16" x 6" +/- ½"
Silver Blue Mercury	Over Mount	17" x 5.5" +/- ½"
Silver Blue Mercury	Splash	18" x 6" +/-1"
Silver Colbalt Twist w/ Clear Rim	Classic	16" x 6" +/- ½"
		1
Silver Cobalt Twist	Over Mount	17" x 5.5" +/- ½"
Silver Cobalt Twist	Splash	18" x 6" +/-1"
Silver-Green Iridescent w/ Clear Rim	Classic	16" x 6" +/- ½"
Silver-Green Iridescent	Over Mount	17" x 5.5" +/- ½"
Silver-Green Iridescent	Splash	18" x 6" +/-1"
Silver Sun w/ Clear Rim	Classic	16" x 6" +/- ½"
Silver Sun	Over Mount	17" x 5.5" +/- ½"
Silver Sun	Splash	18" x 6" +/-1"



		UC	un cheel	
	S	Stardust	Fusion	18" x 4.5" 16" x 4" Limited Edition
		Strawberry	Water Bowl	16" x 6" +/- 1"
	T	ortoise Shell Rhapsody v/ Amber Rim	Classic	16" x 6" +/- ½"
100	Т	ortoise Shell Rhapsody	Over Mount	17" x 5.5" +/- ½"
	Т	ortoise Shell Rhapsody	Splash	18" x 6" +/-1"
		wisted Bronze Oz v/ Purple Rim	Classic	16" x 6" +/- ½"
	т	wisted Bronze Oz	Over Mount	17" x 5.5" +/- ½
	т	wisted Bronze Oz	Splash	18" x 6" +/-1"
		wisted Smoke v/ Black Rim	Classic	16" x 6" +/- ½"
	Т	wisted Smoke	Over Mount	17" x 5.5" +/- ½
	Т	wisted Smoke	Splash	18" x 6" +/-1"
	T v	™isted Tiger v/ Amber Rim	Classic	16" x 6" +/- ½"
	Т	wisted Tiger	Over Mount	17" x 5.5" +/- ½"



	Deux cheerk glubb		
Twisted Tiger	Splash	18" x 6" +/-1"	
Twisted Watermelon	Classic	16" x 6" +/- ½"	
Twisted Watermelon w/ Aqua Rim	Over Mount	17" x 5.5" +/- ½"	
Twisted Watermelon	Splash	18" x 6" +/-1"	
Utopia	Ocean	17" x 5" +/- 2"	
Zinfandel Stringer w/ Yellow Amber Rim	Classic	16" x 6" +/- ½"	
Zinfandel Stringer	Over Mount	17" x 5.5" +/- ½"	
 Zinfandel Stringer	Splash	18" x 6" +/-1"	



Questions & Answers

WHERE ARE BEAR CREEK GLASS SINKS MADE?

Bear Creek Glass sinks are made in a state-of-the-art glass facility located in Orange Beach, Alabama. While the shop is new, some of the glass methods we use are 3,000 years old. The public is welcome to view our team of artisans blow glass in the "hot shop".

HOW ARE BEAR CREEK SINKS DISTINCTIVE FROM OTHER GLASS VESSELS ON THE MARKET?

Bear Creek Glass sinks are handmade works of art. One of our trademarks is the unique shapes of our sinks, particularly our Ocean and Splash vessels. Their free form designs imitate the fluid qualities of water. All vessels are signed and numbered.

ARE BEAR CREEK GLASS SINKS MADE FROM RECYCLED GLASS?

Some of our products come from 100% recycled glass and some are partially recycled glass.

IS THERE A PARTICULAR DRAIN THAT SHOULD BE USED WITH BEAR CREEK SINKS?

Yes, for best results, use our Quickflow drain available in a wide range of finishes.

WHAT IS THE DIFFERENCE BETWEEN THE SPLASH STYLE AND THE OCEAN STYLE LAVATORIES?

Both the Splash and Ocean have curving organic lines. Splash lavatories generally have gently curving sides while Ocean sinks usually have more pronounced folds. Each style is available in its own set of colors.

WHAT IS THE DIFFERENCE BETWEEN THE CLASSIC STYLE AND THE FUSION STYLE?

Both have symmetrical lines. Fusion lavatories are thicker with a more consistent curving profile. The sides of the Classic bowl are more curved upward with deeper sides. Each style is available in its own set of colors.

IF I ORDER THE SAME STYLE SINK THAT I HAVE SEEN IN A SHOWROOM BUT IN ANOTHER COLOR,

CAN I EXPECT THE SHAPE TO BE THE SAME?

Even though the "Classic" and "Fusion" styles are hand made and unique, they are very consistent in shape from one to another. Because the "Splash" and "Ocean" are hand made and intentionally non-symmetrical their shapes will be different from one to another.

HOW SIMILAR CAN TWO SINKS ORDERED AT THE SAME TIME BE IF I WANT TO INSTALL THEM SIDE BY SIDE? CAN I GET TWO THAT MATCH?

Variation in shape and color patterns from bowl to bowl make your bowl distinct and unique. If you desire side by side installation, please indicate this on your order and we will create something very special for your space. Although we could make sinks that match at different times it is much easier to make them at the same time.

ARE BEAR CREEK SINKS DESIGNED TO BE MOUNTED ON TOP OF OR UNDER THE COUNTER TOP?

Different styles can be mounted differently. We have styles that can be vessel, self-rimmed, under, or over mounted. Please refer to the style specification sheet for mounting options for each style.



CAN I COMMISSION A CUSTOM SIZE AND COLOR?

Yes, custom sinks can be ordered. Because glass colors can sometimes look different from their pictures or even small glass color chips we provide a small 5" sample bowl to see if the desired color is obtained. Once the color is approved by the customer and the sink is created the sale is final. These sample bowls make great soap dishes. Additional charges may apply, contact our customer support for specifics.

DOES ANY STYLE FAUCET WORK?

If you under mount your sink any faucet should work. If your sink is "self-rim" or "vessel" mounted the height of the sink lip above the counter will determine what height faucet you use. Faucets come in many styles and sizes. Some come with a high neck and handles, some can be mounted on the wall, and lower height faucets can be mounted on a ledge or shelf behind the sink.

ARE THERE ANY SPECIAL CARE INSTRUCTIONS?

Never use water so hot that you cannot hold your hand under it. Consider turning your water heater down to an energy saving temperature around 125 degrees.

HOW SHOULD I CLEAN MY SINK?

Our sinks can be cleaned with any non-abrasive cleaner, glass cleaner or rubbing alcohol.

SOME OF THE BOWLS LOOK SHALLOW, WILL WATER SPLASH OUT?

Our sinks are designed and tested not to splash even if they look shallow. Some of our sinks are lower profile than others strictly as a matter of design. Most of today's modern aerated faucets provide an aerated stream of water that do not splash even on a flat surface.

HAVE ANY DROP TESTS BEEN DONE TO TEST THE DURABILITY (MEANING DROPPING ITEMS INTO THE BOWLS, NOT DROPPING THE BOWLS THEMSELVES!)?

Yes, we have done extensive drop testing. The sinks hold up very well to most objects used in the bath.

WHAT IS THE TYPICAL LEAD TIME ON A BOWL?

If the sink is in inventory we can ship within 7-10 business days. If not in inventory please allow 4 to 6 weeks.

ARE THERE ANY SPECIAL INSTALLATION REQUIREMENTS?

You can view the installation instructions of our sinks on the Bear Creek style sheets and online. Do not over tighten drain assemblies.

DO YOU HAVE A RETURN POLICY?

Yes, if a customer is not completely satisfied, we will replace the uninstalled bowl within 30 days. Please note all returns are subject to a restocking fee that will vary depending on the product.

DO YOUR PRODUCTS COME WITH A WARRANTY?

Yes, all our glass products carry a one year limited warranty for defects. In addition, Bear Creek Glass will replace any glass product for one half of the current retail price if it becomes chipped, broken, or worn for any reason, forever. We call this our "lifetime use" warranty. Please refer to our warranty information on the support page.



WHAT IS THE BEST WAY TO LIGHT MY SINK?

This depends on how the sink is mounted (vessel, self-rim, or under mount) and the color of your sink. Usually the best way to light your sink is from above. If your sink is under mounted it can be lit from underneath with a low voltage soft light.

IF I PURCHASE A LOTUS CHANDELIER, HOW WILL I REPLACE THE LED BULB WHEN IT GOES OUT?

Individual LED's are easily replaced by unscrewing two screws, removing the LED and cable and replacing them. Full instructions will come with the LED when you replace them in 10 to 50 years.

HOW LONG CAN AN LED LIGHT LAST?

LED's will slowly diminish their light output over many years. After 10 years of 12 hour daily use, the LED will still put out 70% of its original light output and 60% after 20 years!

DOES THE ATLANTIS OR LOTUS CHANDELIER COME IN OTHER SIZES THAN SPECIFIED?

Yes, Bear Creek Glass can do custom lighting. Please contact us for pricing.

IF A GLASS PIECE BREAKS ON THE ATLANTIS OR LOTUS CHANDELIER, HOW DO I REPLACE IT?

Lotus pieces simply unscrew. Because there are so many pieces in an Atlantis chandelier, breaking one would not be noticed. If needed new pieces can be wired to the frame.



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Support and Warranty

LIMITED LIFETIME USE WARRANTY

Bear Creek Glass products are warranted for the lifetime of the product to resist wear and breakage. Bear Creek Glass will replace any glass product that our customer determines is worn, chipped, or broken for 50% of its current list price. Bear Creek Glass is not responsible for removal or installation costs.

ONE YEAR LIMITED WARRANTY

Bear Creek Glass ® products are warranted to be free of defects in material and workmanship for one year from date of installation.

Bear Creek Glass will, at its election, repair, replace or make appropriate adjustment where Bear Creek Glass inspection discloses any such defects occurring in normal usage within one year after installation. Bear Creek Glass is not responsible for removal or installation costs.

To obtain warranty service, contact Bear Creek Glass either through your retailer or by writing Bear Creek Glass, Attn: Customer Service Department, 25219 Canal Road, Orange Beach, Alabama 36561, USA, or by calling 1-205-324-9339.

IMPLIED WARRANTIES INCLUDING THAT OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY LIMITED IN DURATION TO THE DURATION OF THIS WARRANTY. BEAR CREEK GLASS DISCLAIMS ANY LIABILITY FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES.

This is our exclusive written warranty.

Notes:

1. There may be variation in color fidelity between catalog images and actual glass products.

2. There may be variation in color and shape between glass products of the same color and style.

3. Bear Creek Glass reserves the right to make changes in product characteristics, packaging or availability at any time without notice.



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Sink Installation

HAND TIGHTEN DRAIN ASSEMBLIES, DO NOT OVER TIGHTEN.

For best results, use Bear Creek Glass Quick Flow drains.

Mounting methods by Sink Style

	Vessel	Self Rim	Under	Over
Classic	х	х	x	
Splash	х			19
Ocean	х	-		
Fusion	х	х	х	
Over				
Mount		х		х
Water Bowl	х			

Vessel Mounting: Make countertop hole 2 1/4 "

Self-Rim Mounting: Verify countertop hole shape and size on a piece of plywood or heavy cardboard before cutting countertop. Not recommended for transparent or translucent colors.

Under Mounting:

Clean under countertop where sink will attach using appropriate type of cleaner for countertop. Clean top of rim of sink using rubbing alcohol.

Allow all surfaces to dry.

Apply bead of silicone to top of rim of sink.

Attach sink to countertop using the method or similar method to that below. Apply bead of clear silicone to outside rim of sink where it meets countertop. Allow to dry overnight.



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Drain Installation

Standard Installation

- 1) Remove mounting hardware and tailpiece from drain
- 2) Place a bead of plumber's putty or silicone sealant on the underside of the drain body flange and install drain body through the drain hole of the lavatory.
- 3) From th3e underside of the sink install the tapered rubber gasket (taper up) followed by retaining washer and lock nut. Carefully tighten lock nut until gasket seats and seal is achieved. (CAUTION: Over tightening could cause damage to sink.) Clean off any excess putty or silicone from flange.
- 4) Apply Teflon tape to threads of tailpiece and thread tightly into drain body.
- 5) Connect drain to P-Trap and test for leaks (NOTE: tailpiece may be cut to length as required)

Care and Cleaning Instructions

Do not use harsh alkali or acid based detergents, abrasive polishes or scouring cleansers. Also do not use any S.O.S. ® pads or Scotch Brite Pads ®. These are scouring tools and will scratch chrome as well as your PVD and Lacquer coated products. This is good advice to use on any plumbing fixture regardless of the material or finish, as stainless can be scratched and colored plastic will develop a dull finish.

Do not leave coffee or vinegar laying in the bottom of sink basin.

After use, please wipe your PVD coated product dry with a clean soft cloth. Wiping is important as it will limit water spotting.

To clean just wipe with a damp cloth and dry with a soft cloth. If necessary regular Windex can be used.

To clean our lacquer coated products follow the above steps or you can use a product from the Flitz Company (800-558-8611) called "Polished Brass Protectant" for coated fixtures.

For additional protection – Spray Pledge furniture polish unto a soft cloth and wipe. Bear Creek Glass warrants that the Lifetime Warranty on our PVD Finish will not tarnish, pit, or discolor.



Pendant Installation

CAUTION

Be sure the electricity to the system you are working on is turned off; either the fuse removed or the circuit breaker set to off. IF YOU ARE UNCLEAR ON HOW TO PROCEED, CONTACT A QUALIFIED ELECTRICIAN.

THIS FIXTURE IS INTENDED FOR INSTALLATION IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE AND REGULATIONS. TO ASSURE FULL COMPLIANCE WITH LOCAL CODES AND REGULATIONS, CONSULT WITH YOUR LOCAL ELECTRICAL INSPECTOR BEFORE INSTALLATION.

PRE-INSTALLATION

Install 4"x4" electric box capable of holding 15 pounds with appropriate power.

CANOPY INSTALLATION

Attach crossbar, canopy, electrical wires, canopy cover, and canopy nut.

TO ADJUST WIRE LENGTH

Hanging wire is sent fully extended. To adjust wire length, push inset of hanging nipple (on canopy) and push or pull cord into or out of canopy. Release inset on nipple to secure. Three or more feet of wire can be pushed into canopy which will eventually fill up. To shorten wire further, wire must be cut and reconnected using the existing wire nuts.

TO INSTALL GLOBES

Press together tabs on either side of can, insert into glass globe, release tabs. Do not release globe until both tabs click and are fully extended and globe is securely attached.



25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



Atlantis Installation

CAUTION

Be sure the electricity to the system you are working on is turned off; either the fuse removed or the circuit breaker set to off. IF YOU ARE UNCLEAR ON HOW TO PROCEED, CONTACT A QUALIFIED ELECTRICIAN.

THIS FIXTURE IS INTENDED FOR INSTALLATION IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE AND REGULATIONS. TO ASSURE FULL COMPLIANCE WITH LOCAL CODES AND REGULATIONS, CONSULT WITH YOUR LOCAL ELECTRICAL INSPECTOR BEFORE INSTALLATION.

PRE-INSTALLATION

Install 4"x4" electric box capable of holding 150 pounds for the small, 200 pounds for the medium Atlantis or 450 pounds for the large Atlantis with appropriate power.

REMOVE CHANDELIER FRAME AND CANOPY

Open box number 1 and carefully remove the following. NOTE: box 1 may also contain glass pieces some of which may be labeled.

- i. The chandelier frame
- ii. Globe for frame
- iii. Canopy
- iv. Lights
- v. Remove wire, zip ties and strain relief from plastic bag that contains canopy

bear creek glass

INSTALLING CANOPY AND FRAME

- a. Loosen "Slip Ring" from canopy assembly and allow Canopy Cover to slide down.
- b. VERIFY COUPLER IS SECURELY ATTACHED TO MACHINE SCREW.
- c. Attach "CROSS BAR to electric junction box.
- d. Position the frame by sliding the "Top Gripper" over the Aircraft Cable. To adjust the "Top Gripper" position, depress button on top of "Top Gripper" and move. "Top Gripper" automatically locks in place when its top button is released. NOTE: while there is any weight on the Gripper the top button cannot be depressed. The greater the weight the stronger it holds. NOTE: to install glass pieces, frame can be lowered to a comfortable working height on ground and raised latter using a steel pipe under "Top Gripper" and CARFULLY raised up along the cable by two people on ladders on each side of chandelier.
- e. Insure bottom part of "Top Gripper" is securely tightened against top part of "Top Gripper".
- f. Connect electric cord to electric junction box.
- g. Thread electric cable through off-centered hole in Canopy cover.
- h. Slide "Slip Ring" up and tighten on stud.
- i. Leaving 6" to 12" of cable in electric box, attach "Bushing" to hold electrical cable in place being careful not to bend canopy cover.
- j. Connect lights if necessary and test lights.
- k. Adjust "Bottom Grippers" to level Frame.







INSTALLING CHANDELIER PIECES

CAUTION:

- WHEN INSTALLING GLASS BE CAREFUL NOT TO UNSCREW "COUPLER" or "TOP GRIPPER". THIS COULD OCCUR IF YOU WERE TO CONTINUALLY ROTATE FRAME COUNTERCLOCKWISE WHEN VIEWED FROM UNDERNEATH.
- Insure bottom part of "Top Gripper" is securely tightened against top part of "Top Gripper".

GENERAL NOTES FOR USING HANGERS

- 1. These hangers have been designed to allow accurate positioning of the glass pieces on the frame. It is ok to bend them to make the glass piece closer to the frame or angle the piece as desired.
- 2. To attach to frame, snap on and turn 90 degrees.
- 3. The hangers have been bent down for shipping, straighten them before hanging.
- 4. Some hangers may require opening slightly to hook to frame, some may need crimping after hooking to frame.

GENERAL NOTES FOR HANGING GLASS PIECES

- 1. For easier glass installation lower the frame down the support cable and attach the glass pieces at the floor level if possible. After assembly raise the frame by carefully placing a 5' steel pipe under the "Top Gripper" and raise it up the support cable. Someone on the ground may need to hold the support cable tight while the gripper is sliding up the cable.
- 2. After the first several rows the pieces may try to slide up the vertical wire. At this point use the horizontal frame wires as much as possible. On the top one or two rows it should be ok to use the vertical wires again.
- 3. After hanging several rows check for gaps between pieces. These gaps can be controlled to create the look you desire. To change the size of gaps locate the glass piece that has gaps around it and bend its wire to push that ornament toward the frame. This will allow the surrounding pieces to fall in and eliminate the gaps. This is more important in the bottom half of the chandelier. This should only be done where large gaps exist. If overdone you could run out of ornaments.
- 4. Chandeliers often have a main color and one or two minor colors. Be aware of this when hanging pieces so as not to hang several minor colored pieces in a cluster.

GLASS INSTALLTION / NOTES:

- 1. You can hang the glass pieces however you like. To make it look similar to our pictures try and make the glass pieces angle perpendicular to the frame and then add more glass pieces on top up to a 45 degree angle.
- 2. Locate Box #1 and remove "extra" pieces, set aside and use later if needed.



- 3. Locate "Center Piece" glass piece in box #1 and hang from bottom center. Bend hanging wire to secure to frame
- 4. Hang six pieces equally spaced around center piece from wire part of frame (not from main frame support).
- 5. Hang the rest of the glass pieces in box 1, then box 2, etc. keeping "Center Piece" centered.
- 6. Check that all ornaments are hooked from inside
- 7. Save bottom row of last box for top row, use "Extras" at this time if needed.

FINISH INSTALLATION:

- 1. Insert Globe into frame.
- 2. Place lights in frame.
- 3. Move frame to desired height.
- 4. Connect electric cord to lights making sure wire nuts and wire are located near socket and away from bulb and bulbs are not touching anything.
- 5. When finished, cut excess aircraft cables after all adjustments are complete or wind up excess able and place on top of frame.
- 6. If desired use wires or zip ties to attach electric cord to support cable.



Lotus Installation

CAUTION

Be sure the electricity to the system you are working on is turned off; either the fuse removed or the circuit breaker set to off. IF YOU ARE UNCLEAR ON HOW TO PROCEED, CONTACT A QUALIFIED ELECTRICIAN.

THIS FIXTURE IS INTENDED FOR INSTALLATION IN ACCORDANCE WITH THE NATIONAL ELECTRICAL CODE AND REGULATIONS. TO ASSURE FULL COMPLIANCE WITH LOCAL CODES AND REGULATIONS, CONSULT WITH YOUR LOCAL ELECTRICAL INSPECTOR BEFORE INSTALLATION.

PRE-INSTALLATION

- 1) Decide on location of the Wall Controller and install.
- Decide on location of "24V Power Supply" and the "DMX Box". These items can be located on top of chandelier if top of chandelier is not visible. Things to consider:
 - a. 120VAC will be needed for "24V Power Supply" and "DMX Box".
 - b. If "24V Power Supply" and "DMX Box" are located remotely from chandelier, properly sized power conductor must be run from the "24V Power Supply" to the top of the chandelier. (10' of 2 conductor cable is supplied). In addition, if placed remotely, a user supplied Ethernet cable must be ran from the "DMX to Quad Controller Cable" to the top of the chandelier and connected using a user supplied Ethernet Cable Coupler at the "DMX Box" side.
 - c. If the "24V Power Supply" and "DMX Box" are located on top of the chandelier, 120VAC must be supplied to the top of the chandelier. (10' of 2 conductor cable is supplied). A user supplied RJ45 ethernet patch cable must be ran to the "Wall Controller" to the "DMX Box" RJ45 female port on top of the chandelier.
- Install 4"x4" electric box capable of holding 300 pounds with appropriate power.









OPENING CRATE

- b. Remove TOP PANEL of crate ONLY.
- c. Remove side panel of crate labeled "FRONT".
- d. Remove bag labeled "Canopy Assembly" from bar.
- e. Detach 10 foot long electrical cord from "24 Volt Power Supply" from the chandelier top.

INSTALLING CANOPY

Disassemble "CANOPY ASSEMBLY" into the parts seen in picture.

- 1. Attach electrical cord to electric junction box
- m. Attach "CROS S BAR" to electric junction box
- n. Screw in "¹/₄ INCH STUD" to cross bar
- o. Screw the "COUPLER" with attached aircraft cable into the stud.
- p. Pull the electric cord and Ethernet cable thru off centered hole in canopy and aircraft cable thru center hole in canopy.
- q. Slide the "CANOPY" up over the aircraft cable and thru the "COUPLER".
- r. Slide the "SLIP RING" over the cable and screw on to "COUPLER" until snug against "CANOPY"
- s. Place the electrical and Ethernet cable in the plastic "STRAIN RELIEF BUSHING" and attach to the canopy's off center hole.



HANGING CHANDELIER

Remove screws holding metal pipe to the crate (once the screws are removed it is possible for the pipe to slip out of its supports).

- With one person on each end of pipe, lift the chandelier, carry it to installation point and insert aircraft cable of canopy into the top of "TOP GRIPPER" until at least 1" exits the side hole.
 Continue to slide the Chandelier up to the desired position.
- b. Trim the aircraft cable leaving at least 1" exiting the side of the "TOP GRIPPER"
- c. Remove Cables labeled "Shipping Cables" once the "Air Craft Cable" from the "Canopy" is holding the weight.





25910 Canal Road, Suite O-136, Orange Beach, Alabama 36561 205. 324. 9339 www.bearcreekglass.com



- d. If "24V Power Supply" and "DMX Box" are located on top of chandelier:
 - i. Attach the 120 VAC Electrical Cord to the "24V Power Supply" to connectors "L" and "N".
 - ii. Attach the user supplied Ethernet cable running from the "Wall Controller" to the "DMX Box"
- e. If "24V Power Supply" and "DMX Box" are located remotely:
 - iii. Attach the 24V cable from the "24V Power Supply" to the orange connector on the round circuit board (positive side of cable to positive terminal).
 - iv. Attach the electric cable from the "Quad Controller" to the orange connector on the circuit board (positive side of cable to positive terminal).
 - v. Attach the user supplied Ethernet cable to the "Quad Controller".

INSTALLING GLASS BULBS (found at bottom of crate)

What Order to Install Bulbs: work from the center bulb outward. Use a screwdriver drill bit or screwdrivers in multiple lengths to help maneuver around globes. You can move leaves and petals from side to side if needed to create more space.

How To Install Bulbs: Orient the bulb tip points upward. Evenly turn all three screws until they are gently holding the bulb in place. Try to move the bulb slightly, adjust where needed. Continue until the bulb feels secure but not over tightened. (Additional screws found with canopy hardware)

***OVER TIGHTENING CAN LEAD TO BREAKAGE**





X-Fade-6 Operation Instructions

Control Station Operation with Infrared Remote Control

1.Product Descriptions

We wish to express our gratitude for your purchasing our digital product X-Fade-6. You now hold a premiere, hybrid 6-ch DMX controller combining with 6 channel faders. Its compact and portable design is convenient to mount and easy to operate for users. Its key features consists of as the following:

- USITT DMX-512(1990) Multiplexed Digital Control
- □ Up to 6 DMX channels and 6 channel control faders
- □ 6 programmable scenes, ability of up to 100 steps per scene
- Assignable fade setting separately and Master control
- Infrared remote control function
- One preset pattern available for per scene
- With a Signal/Power Distribution Box as tension provider and DMX signal converter in the entire system
- US and EU versions optional

2.Control Panel View

Front Control View

Channel Faders(1~6):

Used to control the output level of each corresponding fixture channel.

Master Control Fader:

Used to control the overall output level for all Channels1~6 or control the master level for all Scenes.

Scene LED indicators(1~6):

These 6 LED's detail the current fader level for Scene's1-6. The LED indicators will reflect the fader level changes in real time.

OFF LED indicators:

To indicate the output state is turned on or off.

Scene Buttons(1~6):

To select the corresponding programmed scene to playback.

OFF Button:

To press the OFF button to close all channel1-6 output or enter/exit Recording Scene Mode.

To link with the Signal/Power Distributor Box via C-LAN cable for getting the tension and DMX

Infrared Sensor:

To receive infrared remote control signs from Infrared Remote.

RJ45 Interface:

output.

Infrared Remote

3.Operating Guide

3.1Recording Scenes

- 3.1.1 Recording Scenes Mode enables: press and hold the "OFF" button down for approximately 2 seconds or until the red LED indicator next to the "OFF" button comes on, once the indicator is flashing, Record mode is engaged and you may release the "OFF" button.
- 3.1.2 If the selected scene has been stored before, its indicator will be on. Press and hold the "Scene" button down for about 2 seconds and all LED indicators will flash repeatedly 3 times to delete it.
- 3.1.3 Select the "Scene" button where you wish to record to. The selected "Scene" LED will flash repeatedly.
- 3.1.4 Adjust the corresponding "Channel Fader" all ways up to ten(10) to set the desired fader level for the step of the scene. Once you're satisfied with the setting, press the "Scene" button to store it. All LED indicators will flash repeatedly 3 times, indicating that your the step of the scene has been recorded.
- 3.1.5 Repeat Step3.1.4 to record more steps for the scene, up to 100 Steps can be created per scene.
- 3.1.6 To record additional scenes, repeat Step3.1.3~3.1.5.
- 3.1.7 Once you've stored all of your scenes, press and hold the "OFF" button to exit. A blue LED next to the "OFF" button coming on is indicative that you are out of the Recording Scene mode.



X-Fade-6

3.2 Assigning Scenes Fade time

3.2.1 Press and hold the "Scene" button to select the Scene where you wish to assign fade time to, until its indicator is flashing.

bear creek glass

- 3.2.2 Keep and hold the selected "Scene" button, and at the moment adjust the "Master control fader" all ways up to 600s to set desired fader level.
- 3.2.3 Once you're satisfied with the setting, release the selected "Scene' button to store it. All LED indicators will flash repeatedly 3 times.

3.2.4 To assign fade time for additional scenes, repeat Step3.2.1 through 3.2.3.

Note: Once you've stored fade time for all of your scenes, please flip the "Master Control Fader" back to the initial position.

3.3 Set OFF Fade time

- 3.3.1 Recording Scene mode enables.
- 3.3.2 Adjust the "Master Control Fader" all ways up to 600s to set the desired level.
- 3.3.3 Once you're satisfied with the setting, tap the "OFF" button to store it. All LED indicators will flash repeatedly 3 times.
- 3.3.4 Exit the Recording Scene mode.

3.4 Set the Total Number of Controllable Channels

- 3.4.1 Disconnect the main power of X-Fade-6.
- 3.4.2 Select the channel total number which you wish to control. When using the "Channel Fader 1", the channel total which you wish to control is "1"; when using the "Channel Fader 2", the channel total which you wish to control is "2"; and in the function, the channel total which you wish to control is up to "6".
- 3.4.3 Should adjust the "Master Control Fade" over 5 position when selecting the channel number.
- 3.4.4 Keep and hold the "OFF" button, and power the X-Fade-6 on, all LED indicators will come on. Release the "OFF" button, and all LED indicators will flash repeatedly 3 times.

3.5 Playback Scenes

- 3.5.1 Only stored scenes can be playback.
- 3.5.2 Directly tap the "Scene" button to select the scene which you wish to playback.
- 3.5.3 Users can use the Infrared Remote to operate your X-Fade-6.

3.6 Restore Scene

- 3.6.1 Disconnect the main power of the X-Fade-6.
- 3.6.2 Keep and hold down the "Scene1" button which you wish to restore , and power the main power of the X-Fade-6 on, until all Scenes' LED indicators will illuminate. Then release the "Scene" button to restore, and all Scenes' LED indicators will flash repeatedly 3 times

4. Technical Specifications

- Power Requirement 12VDC
- Connection RJ45 interface
- Housing Polycarbonate
- □ Ingress Protection Rating IP20
- Control Protocol DMX-512 (1990)
- □ Listing
- □ Operation temperature -10 degC to +50 degC
- □ Dimensions US:112(L) x 70(W) x 45(H)mm EU: 86(L) x 86(W) x 45(H)mm

CE certified

200a

Weights





5.System Connection Diagram



NOTE:

Effective distance from the infrared sensor of X-Fade-6 to Infrared Remote shall be limited within the range of 10m. Otherwise, it results out of control.

Acclaim Lighting-Los Angeles, CA90058 www.acclaimlighting.com

